

## Recombinant Human CDSN (C-6His)

Catalog #	EPT145
Expression Host	Human Cells
DESCRIPTION	Recombinant Human Corneodesmosin is produced by
	our Mammalian expression system and the target
	gene encoding Lys33-Pro528 is expressed with a 6His
	tag at the C-terminus.
Accession	AAH31993.1
Synonyms	Corneodesmosin; S Protein; CDSN
Mol Mass	49.3 KDa
AP Mol Mass	58-70 KDa, reducing conditions
Purity	Greater than 95% as determined by reducing
	SDS-PAGE.
Endotoxin	Less than 0.1 ng/ $\mu$ g (1 EU/ $\mu$ g) as determined by LAL
	test.
FORMULATION	Lyophilized from a 0.2 $\mu$ m filtered solution of 20mM
	PB, 150mM NaCl, pH 7.4.
RECONSTITUTION	Always centrifuge tubes before opening.Do not mix by
	vortex or pipetting.



+86-27-59760950 ELKbio@ELKbiotech.com www.elkbiotech.com 23-2, No.388 Gaoxin 2nd Road,Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



It is not recommended to reconstitute to a concentration less than 100µg/ml.

Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

SHIPPING The product is shipped at ambient temperature.Upon receipt, store it immediately at the temperature listed below.

STORAGELyophilized protein should be stored at < -20 ° C,<br/>though stable at room temperature for 3 weeks.Reconstituted protein solution can be stored at 4-7°C<br/>for 2-7 days.

Aliquots of reconstituted samples are stable at < -20° C for 3 months.

**BACKGROUND** Corneodesmosin is a protein that is encoded by the CDSN gene in humans. This gene encodes a protein found in corneodesmosomes, which localize to human epidermis and other cornified squamous epithelia. During maturation of the cornified layers, the protein undergoes a series of cleavages, which are thought to be required for desquamation.







+86-27-59760950 ELKbio@I

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C