

Recombinant Mouse SAP (C-6His)

Catalog #	EPT196
Expression Host	Human Cells
DESCRIPTION	Recombinant Mouse Serum Amyloid P Component is
	produced by our Mammalian expression system and
	the target gene encoding Gln21-Asp224 is expressed
	with a 6His tag at the C-terminus.
Accession	P12246
Synonyms	APCS; PTX2; SAP; 9.5S alpha-1-glycoprotein; Serum
	amyloid P; MGC88159; PTX2serum amyloid
	P-component; SAP pentaxin-related
Mol Mass	24.9 KDa
AP Mol Mass	28-32 KDa, reducing conditions
Purity	Greater than 95% as determined by reducing
	SDS-PAGE.
Endotoxin	Less than 0.1 ng/ μ g (1 EU/ μ g) as determined by LAL
	test.
FORMULATION	Supplied as a 0.2 μ m filtered solution of 20mM
	Tris-HCl, 150mM NaCl, 50mM Imidazole, 5%



+86-27-59760950

23-2, No.388 Gaoxin 2nd Road,Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C

www.elkbiotech.com

ELKbio@ELKbiotech.com



Trehalose, 20% Glycerol, pH8.0.

DECONCTITUTION	
RECONSTITUTION	
SHIPPING	The product is shipped on dry ice/polar packs.
	Upon receipt, store it immediately at the temperature
	listed below.
STORAGE	Store at \leq -70°C, stable for 6 months after receipt.
	Store at \leq -70 °C, stable for 3 months under sterile
	conditions after opening.
	Please minimize freeze-thaw cycles.
BACKGROUND	Pentraxin 2 (PTX2), also known as Serum amyloid P
	(SAP), is a highly conserved, naturally circulating
	plasma protein and a soluble pattern recognition
	receptor of the innate immune system. The unique
	binding activities indicated that it may play an
	important role in the removal of damaged tissue. PTX2
	belongs to the pentraxin family, is universally present
	in amyloid deposits. Mouse with targeted deletion of
	the PTX2 gene shows retarded and reduced induction
	of experimental reactive systemic (AA type)
	amyloidosis confirmed that it does indeed contribute
	to pathogenesis of amyloidosis and is a valid



+86-27-59760950 ELKbio@ELKbiotech.com www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C

therapeutic target. In recent discovery, PTX2 can be



used as a powerful antifibrotic agent to regulate certain monocyte differentiation states.



SDS-PAGE



+86-27-59760950 ELKbio@B

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C